

- [1] Leonidas Fegaras.
A new heuristic for optimizing large queries.
In *DEXA*, pages 726–735, 1998.
- [2] Toshihide Ibaraki and Tiko Kameda.
On the optimal nesting order for computing n-relational joins.
ACM Trans. Database Syst., 9(3):482–502, 1984.
- [3] Ravi Krishnamurthy, Haran Boral, and Carlo Zaniolo.
Optimization of nonrecursive queries.
In *VLDB*, pages 128–137, 1986.
- [4] Chiang Lee, Chi-Sheng Shih, and Yaw-Huei Chen.
Optimizing large join queries using a graph-based approach.
IEEE Trans. Knowl. Data Eng., 13(2):298–315, 2001.
- [5] Guido Moerkotte and Thomas Neumann.
Analysis of two existing and one new dynamic programming algorithm
for the generation of optimal bushy join trees without cross products.
In *VLDB*, pages 930–941, 2006.

- [6] Thomas Neumann.
Query simplification: graceful degradation for join-order optimization.
In *SIGMOD Conference*, pages 403–414, 2009.
- [7] Arjan Pellenkof, César A. Galindo-Legaria, and Martin L. Kersten.
The complexity of transformation-based join enumeration.
In *VLDB*, pages 306–315, 1997.
- [8] César A. Galindo-Legaria, Arjan Pellenkof, and Martin L. Kersten.
Fast, randomized join-order selection - why use transformations?
In *VLDB*, pages 85–95, 1994.
- [9] Donald Kossmann and Konrad Stocker.
Iterative dynamic programming: a new class of query optimization algorithms.
ACM Trans. Database Syst., 25(1):43–82, 2000.
- [10] David E. Simmen, Eugene J. Shekita, and Timothy Malkemus.
Fundamental techniques for order optimization.
In *SIGMOD*, pages 57–67, 1996.