

Cloud-Based Data Processing

Data Centers

Jana Giceva




Datacenter Overview

Data Centers

- Data center (DC) is a physical facility that enterprises use to house computing and storage infrastructure in a variety of networked formats.
- Main function is to deliver utilities needed by the equipment and personnel:
 - Power
 - Cooling
 - Shelter
 - Security
- Size of typical data centers:
 - 500 – 5000 m² buildings
 - 1 MW to 10-20 MW power (avg 5 MW)



Example data centers



Datacenters around the globe



<https://docs.microsoft.com/en-us/learn/modules/explore-azure-infrastructure/2-azure-datacenter-locations>

Modern DC for the Cloud architecture

■ Geography:


- Meets data residency requirements
- Two or more regions
- Fault-tolerant from complete region failures

■ Region:

- Set of datacenters within a metropolitan area
- Network latency perimeter < 2ms


■ Availability Zones:

- Unique physical locations within a region
- Each zone made up of one or more DCs
- Independent power, cooling, networking
- Inter-AZ network latency < 2ms
- Fault tolerance from DC failure



Datacenter Architecture

Main components of a datacenter




Traditional Data Center Architecture

Servers mounted on 19" rack cabinets





Servers

- CPUs
- DRAM
- Disks



Racks


- 40-80 servers
- Ethernet switch



Clusters


Racks are placed in single rows forming corridors between them.

A Row of Servers in a Google Data Center



Src: the datacenter as a computer – an introduction to the design of warehouse-scale machines

Inside a modern data center




- Today's DC use shipping containers packed with 1000s servers each.
- For repairs, whole containers are replaced.



Costs for operating a data center

- DCs consume 3% of global electricity supply (416.2 TWh > UK's 300 TWh)
- DCs produce 2% of total greenhouse gas emissions
- DCs produce as much CO2 as The Netherlands or Argentina

Monthly cost = \$3'530'920



Power Usage Effectiveness (PUE)




- **PUE is the ratio of**
 - The total amount of energy used by a DC facility
 - To the energy delivered to the computing equipment

- **PUE is the inverse of data center infrastructure efficiency**

- **Total facility power** = covers **IT systems** (servers, network, storage) + **other equipment** (cooling, UPS, switch gear, generators, lights, fans, etc.)


Achieving PUE

- **Location of the DC** – cooling and power load factor
- **Raise temperature of aisles**
 - Usually 18-20 C; Google at 27 C
 - Possibly up to 35 C (trade off failures vs. cooling costs)
- **Reduce conversion of energy**
 - E.g., Google motherboards work at 12V rather than 3.3/5V
- **Go to extreme environments**
 - Arctic circle (Facebook) 
 - Floating boats (Google)
 - Underwater DC (Microsoft)
- **Reuse dissipated heat**

Price per Kilo Watt Hour	Where?	Possible Reason Why
3.6 cents	Idaho	Hydroelectric Power; Not Sent Long Distance
10.0 cents	California	Electricity Transmitted Long Distance over the Grid; Limited Transmission Lines in the Bay Area; No Coal Fired Electricity Allowed in California.
18.0 cents	Hawaii	Must Ship Fuel to Generate Electricity




Evolution of data center design



<https://www.nextplatform.com/2016/09/26/rare-tour-microsofts-hyperscale-datacenters/>



Evolution of datacenter design



- **Gen 6: scalable form factor (2017)**
 - Reduced infrastructure, scale to demand
 - 1.17-1.19 PUE
- **Gen 7: Ballard (2018)**
 - Design execution efficiency
 - Flex capacity enabled
 - 1.15-1.18 PUE
- **Gen 8: Rapid deploy datacenter (2020)**
 - Modular construction and delivery
 - Equipment skidding and preassembly
 - Faster speed to market
- **Project Natick (future) – 1.07 PUE or less**

Datacenter Challenges

Challenge 1: Cooling data centers



1- Conventional cooling
2- Cold Aisle Containment (CAC)

3- Hot Aisle Containment (HAC)
4- Thermal modelling

Cooling plant at a Google DC in Oregon



Challenge 2: Energy Proportional Computing

- **Average real world DC and servers are too inefficient.**

- waste 2/3+ of their energy


- **Energy consumption is not proportional to the load**

- CPUs are not so bad but the other components are
- CPU is the dominant energy consumer in servers – using 2/3 of energy when active/idle.

- **Try to optimize workloads**

- **Virtualization and consolidation.**


Sub-system power usage in an x86 server as the compute load varies from idle to full (reported in 2012).



src: "The Datacenter as a Warehouse Computer"


Challenge 3: Servers are idle most of the time

- For **non-virtualized servers 6-15% utilization**
- **Server virtualization** can **boost** to an average **30% utilization**
- **Need for resource pooling** and application and server **consolidation**
- Need for **resource virtualization**
- Latest trends: **resource disaggregation** (e.g., memory stranding → memory pooling).



src: Luiz Barroso, Urs Hölzle "The Datacenter as a Computer"

Challenge 4: Efficient monitoring




- Even with virtualization and software defined DC, **resource utilization can be poor.**
- Need for **efficient monitoring** (measurement) and **cluster management.**
- Goal to **meet SLOs.**
- **Job's tail latency matters!**


Improving resource utilization

- **Hot topic for research and industry at the moment!**
- **Hyper-scale system management software**
 - Treat the datacenter as a warehouse scale computer
 - Software defined datacenters
 - Compose a system using pooled resources of compute, network, and storage based on workload requirement
- **Dynamic resource allocation**
 - Virtualization is not enough to improve efficiency
 - Dynamically allocate CPU resources across servers to address the shifting demand
 - Drive 100-300% better utilization for virtualized WLs, and 200-600% for bare-metal WLs.


Traditional rack architecture



Disaggregation across racks




Software defined Servers



Challenge 5: Managing scale and growth


- In 2016, Gartner estimated that Google has 2.5 million servers
- In 2021, Microsoft Azure was reported to have more than 4 million servers in operations globally.



Challenge 6: networking at scale



[David Samuel Robbins, gettyimages.ch]



[@AlexCWheeler, Twitter] ₀

Challenge 6: networking at scale (cont.)

- **Building the right abstractions to work for a range of workload at hyper-scale.**





Software Defined Networking (SDN)

- **Within DC, 32 billion GBs were transported in 2020**
 - src: Cisco's report 2016-2020
- **“Machine to machine” traffic is orders of magnitude larger than what goes out on the Internet**
 - Src: Jupiter Rising: A Decade of Clos Topologies and Centralized control in Google's Datacenter network (ACM SIGCOMM'15)
- **Evolution via optical circuit switches and SDN**
 - Src: Jupiter Evolving: Transforming Google's Datacenter Network via Optical Circuit Switches and SDN (ACM SIGCOMM'22)


Cloud Computing Overview

Big Data and the need for Cloud



- Over the last 10 years digital engagement, streaming content, online purchasing, p2p payments, etc. have risen by orders of magnitude.

- Src: <https://www.domo.com/data-never-sleeps>



Cloud and Cloud computing

Datacenter hardware and software that the vendors use to offer the computing resources and services.

- The cloud has a large pool of easily usable **virtualized** computing **resources**, development **platforms**, and various services and **applications**.
- Cloud computing is the delivery of **computing as a service**.
- The **shared resources, software,** and **data** are provided by a provider as a **metered service over a network**.




Google Cloud

- **Datacenters are vendors that rent servers or other computing resources** (e.g., storage)
 - Anyone (or company) with a “credit card” can rent
 - Cloud resources owned and operated by a third-party (cloud provider).

- **Fine-grained pricing model**
 - Rent resources by the hour (or by the minute) or by I/O
 - Pay as you go (pay for only what you use)

- **Can vary capacity as needed**
 - No need to build you own IT infrastructure for peak loads
 - Can reserve fixed pools of servers ahead of time, rent them as needed, or a combination of both.

Cloud market revenue in billions of dollars



Cloud service models (XaaS)



Infrastructure as a Service (IaaS)

- Rent IT infrastructure – servers and virtual machines (VMs), storage, network, firewall, and security

Platform as a Service (PaaS)

- Get on-demand environment for development, testing and management of software applications: servers, storage, network, OS, databases, etc.

Serverless, Function as a Service (FaaS)


- Overlapping with PaaS, serverless focuses on building app functionality without managing the servers and infrastructure required to do so.
- Cloud vendors provides set-up, capacity planning, and server management.

Software as a Service (SaaS)

- Deliver software applications over the Internet, on demand.
- Cloud vendor handles software application and underlying infrastructure

Infrastructure as a Service


- Immediately **available computing infrastructure**, provisioned and managed by a cloud provider.
- Computing **resources pooled** together to serve multiple users / tenants.
- Computing resources include: storage, processing, memory, network bandwidth, etc.



src image from Microsoft Azure

Platform as a Service

- Complete development and deployment environment.
- Includes system's software (OS, middleware), platforms, DBMSs, BI services, and libraries to assist in development and deployment of cloud-based applications.
- Examples:



- What is serverless computing then?

Software as a Service



Google™ Apps



Dropbox



In addition to the cross references provided in the slides.

Some material based on:

- Lecture notes from “Scalable Systems for the Cloud” by Prof. Giceva at Imperial
- Lecture notes from “Modern Data Center Systems” by Prof. Zhang at UC San Diego

- Book “The Datacenter as a Computer – An Introduction to the Design of Warehouse-scale Machines” by Luiz Andre Barroso, Jimmy Clidaras, Urs Holzle
- Talk “Inside Azure Datacenter Architecture” with Mark Russinovich (Azure CTO)
- Paper “Above the Clouds: A Berkeley View of Cloud Computing”
- Web-pages from Amazon AWS, Microsoft Azure and Google CDP